

# Product Catalog

Since 1985 » Simple. Predictable. Profitable.



## IMPLANTS



3.0mm Well

Integra-CP™

PART NO.	DIAMETER	LENGTH
345-306	4.5mm	6.0mm
345-308	4.5mm	8.0mm
345-311	4.5mm	11.0mm
350-305	5.0mm	5.0mm
350-306	5.0mm	6.0mm
350-308	5.0mm	8.0mm
350-311	5.0mm	11.0mm
360-305	6.0mm	5.0mm
360-357	6.0mm	5.7mm
360-108	6.0mm	8.0mm



3.0mm Well

Integra-Ti™

PART NO.	DIAMETER	LENGTH
145-306	4.5mm	6.0mm
145-308	4.5mm	8.0mm
145-311	4.5mm	11.0mm
150-306	5.0mm	6.0mm
150-308	5.0mm	8.0mm
150-311	5.0mm	11.0mm
160-357	6.0mm	5.7mm



2.5mm Well

Integra-CP™

PART NO.	DIAMETER	LENGTH
340-255	4.0mm	5.0mm
340-258	4.0mm	8.0mm
340-251	4.0mm	11.0mm
345-258	4.5mm	8.0mm
345-251	4.5mm	11.0mm



2.5mm Well

Integra-Ti™

PART NO.	DIAMETER	LENGTH
140-258	4.0mm	8.0mm
140-251	4.0mm	11.0mm
145-258	4.5mm	8.0mm
145-251	4.5mm	11.0mm



2.0mm Well

Integra-CP™

PART NO.	DIAMETER	LENGTH
330-208	3.0mm	8.0mm
335-008	3.5mm	8.0mm
335-011	3.5mm	11.0mm
340-008	4.0mm	8.0mm
340-011	4.0mm	11.0mm

## IMPLANTS



2.0mm Well

Integra-Ti™

PART NO.	DIAMETER	LENGTH
135-008	3.5mm	8.0mm
135-011	3.5mm	11.0mm
140-008	4.0mm	8.0mm
140-011	4.0mm	11.0mm

## HEALING PLUG INSERTERS



PART NO.	DIAMETER
100-002	2.0mm
100-025	2.5mm
100-001	3.0mm

## COLLAGEN PRODUCTS



PART NO.	DESCRIPTION
509-600	15 x 20mm Membrane
509-300	20 x 30mm Membrane
509-800	30 x 40mm Membrane



509-400	Collagen Plug (10)	\$150.00
---------	--------------------	----------

## SYNTHOGRAFT™



PART NO.	DESCRIPTION	PARTICLE SIZE	TOTAL GRAMS	VIALS
400-125	0.25g	Small	1.25g	5
400-150	0.5g	Small	2.5g	5
400-151	1.0g	Small	5.0g	5
400-152	2.0g	Small	10.0g	5
400-525	0.25g	Large	1.25g	5
400-500	0.5g	Large	2.5g	5
400-501	1.0g	Large	5.0g	5
400-502	2.0g	Large	10.0g	5

## IMPRESSION COMPONENTS



Impression Post  
Titanium

3.0mm Post



Impression Sleeve  
Plastic



Implant Analog  
Titanium

PART NO.	DESCRIPTION
100-433	Impression Post and Sleeve*
100-434	Implant-Level Impression Kit**
100-435	Impression Sleeve (4)
100-388	Implant Analog (2)



Impression Post  
Titanium

2.5mm Post



Impression Sleeve  
Plastic



Implant Analog  
Titanium

100-413	Impression Post and Sleeve*
100-414	Implant-Level Impression Kit**
100-415	Impression Sleeve (4)
100-288	Implant Analog (2)



Impression Post  
Titanium

2.0mm Post



Impression Sleeve  
Plastic



Implant Analog  
Titanium

100-423	Impression Post and Sleeve*
100-424	Implant-Level Impression Kit**
100-425	Impression Sleeve (4)
100-188	Implant Analog (2)

\* Contains two titanium impression posts and two plastic impression sleeves.

\*\* Contains one titanium impression post, one plastic impression sleeve and one titanium analog.

## HEALING ABUTMENTS



2.0mm Post

PART NO.	DIAMETER	HEIGHT
240-500	4.0mm	5.0mm
240-800	4.0mm	8.0mm
250-500	5.0mm	5.0mm
250-800	5.0mm	8.0mm



2.5mm Post

240-525	4.0mm	5.0mm
250-525	5.0mm	5.0mm



3.0mm Post

350-500	5.0mm	5.0mm
350-800	5.0mm	8.0mm
365-500	6.5mm	5.0mm
365-800	6.5mm	8.0mm
375-500	7.5mm	5.0mm

## TRANSITIONAL HEALING ABUTMENTS\*



2.5mm Post

250-201	5.0mm	2.0mm
250-211	5.0mm	3.0mm
250-221	5.0mm	4.0mm
250-241	5.0mm	6.0mm

\*Each abutment is packaged with one 5.0mm stealth abutment sleeve.

## TEMPORARY ABUTMENTS



2.0mm Post

135-245	3.5mm	4.5mm
135-265	3.5mm	6.5mm
140-245	4.0mm	4.5mm
140-265	4.0mm	6.5mm
150-245	5.0mm	4.5mm
150-265	5.0mm	6.5mm



2.5mm Post

240-545	4.0mm	4.5mm
240-565	4.0mm	6.5mm
250-545	5.0mm	4.5mm
250-565	5.0mm	6.5mm


## TEMPORARY ABUTMENTS



3.0mm Post

PART NO.	DIAMETER	HEIGHT
340-345	4.0mm	4.5mm
340-365	4.0mm	6.5mm
350-345	5.0mm	4.5mm
350-365	5.0mm	6.5mm
365-345	6.5mm	4.5mm
365-365	6.5mm	6.5mm

## SINUS LIFT TEMPORARY ABUTMENTS



3.0mm Post

365-503	6.5mm	2.5mm
370-503	7.0mm	2.5mm



2.5mm Post

260-503	6.0mm	2.5mm
---------	-------	-------

## EMERGENCY CUFFS FOR NON-SHOULDERED ABUTMENTS (4)



PART NO.	DIAMETER
140-010	4.0mm
150-010	5.0mm
165-065	6.5mm

## NON-SHOULDERED ABUTMENTS



2.0mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
135-001	3.5mm	6.5mm	0°
135-015	3.5mm	6.5mm	15°
140-002	4.0mm	6.5mm	0°
140-015	4.0mm	6.5mm	15°
140-025	4.0mm	6.5mm	25°
140-101	4.0mm	10.0mm	0°
140-115	4.0mm	10.0mm	15°
150-050	5.0mm	5.0mm	0°
150-055	5.0mm	5.0mm	15°
150-001	5.0mm	6.5mm	0°
150-015	5.0mm	6.5mm	15°
150-025	5.0mm	6.5mm	25°
150-201	5.0mm	12.0mm	0°
150-215	5.0mm	12.0mm	15°

## NON-SHOULDERED ABUTMENTS



2.5mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
240-001	4.0mm	6.5mm	0°
240-015	4.0mm	6.5mm	15°
240-025	4.0mm	6.5mm	25°
240-101	4.0mm	10.0mm	0°
240-115	4.0mm	10.0mm	15°
250-001	5.0mm	6.5mm	0°
250-015	5.0mm	6.5mm	15°
250-025	5.0mm	6.5mm	25°
250-111	5.0mm	10.0mm	0°
250-115	5.0mm	10.0mm	15°
265-050	6.5mm	5.0mm	0°
265-055	6.5mm	5.0mm	15°



3.0mm Post

340-001	4.0mm	6.5mm	0°
340-015	4.0mm	6.5mm	15°
340-101	4.0mm	10.0mm	0°
340-115	4.0mm	10.0mm	15°
350-050	5.0mm	5.0mm	0°
350-055	5.0mm	5.0mm	15°
350-001	5.0mm	6.5mm	0°
350-015	5.0mm	6.5mm	15°
350-025	5.0mm	6.5mm	25°
350-101	5.0mm	10.0mm	0°
350-115	5.0mm	10.0mm	15°
350-201	5.0mm	12.0mm	0°
350-215	5.0mm	12.0mm	15°
365-050	6.5mm	5.0mm	0°
365-055	6.5mm	5.0mm	15°
365-001	6.5mm	6.5mm	0°
365-015	6.5mm	6.5mm	15°
375-801	7.5mm	8.0mm	0°
375-815	7.5mm	8.0mm	15°



EXTENDED 3.0mm Post


350-150	5.0mm	6.5 x 4.0mm	0°
350-155	5.0mm	6.5 x 4.0mm	15°
350-350	5.0mm	6.5 x 5.5mm	0°
350-355	5.0mm	6.5 x 5.5mm	15°

## NON-SHOULDERED ABUTMENT PROSTHETIC COMPONENTS

### Restorative and Laboratory Kits\*



PART NO.	DIAMETER	LENGTH
135-465	3.5mm	6.5mm



140-465	4.0mm	6.5mm
140-410	4.0mm	10.0mm



150-450	5.0mm	5.0mm
150-465	5.0mm	6.5mm
150-410	5.0mm	10.0mm
150-412	5.0mm	12.0mm



165-450	6.5mm	5.0mm
165-465	6.5mm	6.5mm



175-480	7.5mm	8.0mm
---------	-------	-------

\*Each kit contains (1) transfer die, (1) impression/waxing sleeve, and (1) temporization sleeve.

### Temporization Sleeves (2)



PART NO.	DIAMETER
135-165	3.5mm
140-165	4.0mm
150-165	5.0mm
165-165	6.5mm
175-165	7.5mm

## STEALTH SHOULDERED ABUTMENTS\*



2.0mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
200-150	3.5mm	1.5mm	0°
200-200	4.0mm	1.5mm	0°
200-400	4.0mm	3.5mm	0°
200-201	5.0mm	2.0mm	0°
200-202	5.0mm	2.0mm	10°
200-221	5.0mm	4.0mm	0°
200-222	5.0mm	4.0mm	10°
200-241	5.0mm	6.0mm	0°
200-242	5.0mm	6.0mm	10°



2.5mm Post

250-300	4.0mm	1.5mm	0°
250-400	4.0mm	3.5mm	0°
250-301	5.0mm	2.0mm	0°
250-302	5.0mm	2.0mm	10°
250-311	5.0mm	3.0mm	0°
250-312	5.0mm	3.0mm	10°
250-321	5.0mm	4.0mm	0°
250-322	5.0mm	4.0mm	10°
250-341	5.0mm	6.0mm	0°
250-342	5.0mm	6.0mm	10°



3.0mm Post

300-300	4.0mm	1.5mm	0°
300-400	4.0mm	3.5mm	0°
300-301	5.0mm	2.0mm	0°
300-302	5.0mm	2.0mm	10°
300-311	5.0mm	3.0mm	0°
300-312	5.0mm	3.0mm	10°
300-321	5.0mm	4.0mm	0°
300-322	5.0mm	4.0mm	10°
300-341	5.0mm	6.0mm	0°
300-342	5.0mm	6.0mm	10°
300-361	5.0mm	8.0mm	0°
300-601	6.5mm	2.0mm	0°
300-602	6.5mm	2.0mm	10°
300-621	6.5mm	4.0mm	0°
300-622	6.5mm	4.0mm	10°


\*Each abutment is packaged with two corresponding stealth sleeves.

## STEALTH SHOULDERED ABUTMENT PROSTHETIC COMPONENTS

### Stealth Abutment Sleeves (4)



PART NO.	DIAMETER
250-204	4.0mm
250-205	5.0mm
250-206	6.5mm



250-004	4.0mm Short
250-005	5.0mm Short



250-103	3.5mm Tall
250-104	4.0mm Tall
250-105	5.0mm Tall

### Stealth Abutment Transfer Dies (2)


BRASS



PART NO.	DIAMETER
250-183	3.5mm
250-184	4.0mm
250-185	5.0mm
250-186	6.5mm

### Aluminum Oxide Sleeves\*

Al<sub>2</sub>O<sub>3</sub>



PART NO.	DIAMETER	HEIGHT
250-371	3.5mm	7.0mm
250-471	4.0mm	7.0mm
250-571	5.0mm	7.0mm
250-101	5.0mm	10.0mm

\*Packaged with corresponding transfer die.

## BREVIS™ ABUTMENTS\*



2.0mm Post

PART NO.	HEIGHT	ANGLE
100-404	2.0mm	0°
100-405	2.0mm	15°
100-406	4.0mm	0°
100-407	4.0mm	15°
100-408	6.0mm	0°
100-409	6.0mm	15°



2.5mm Post

250-424	2.0mm	0°
250-425	2.0mm	15°
250-426	4.0mm	0°
250-427	4.0mm	15°
250-428	6.0mm	0°
250-429	6.0mm	15°




3.0mm Post

300-434	2.0mm	0°
300-435	2.0mm	15°
300-436	4.0mm	0°
300-437	4.0mm	15°
300-438	6.0mm	0°
300-439	6.0mm	15°

\*Each abutment packaged with one titanium Brevis housing with o-ring.

## BREVIS™ ABUTMENT COMPONENTS



Rubber O-Rings  
Enhanced Retention



Rubber O-Rings  
Light Retention

PART NO.	DESCRIPTION
100-013	O-Rings - Enhanced (10)
100-014	O-Rings - Light (10)



Rubber O-Ring Brevis Housing Impression Cap



Aluminum  
Transfer Die

100-212	Housing
100-217	Impression Kit with Housing
100-218	Impression Kit without Housing

## LOCATOR® ABUTMENTS\* Δ



2.0mm Post

PART NO.	DIAMETER	HEIGHT
200-501	4.0mm	1.0mm
200-502	4.0mm	2.0mm
200-503	4.0mm	3.0mm
200-504	4.0mm	4.0mm
200-505	4.0mm	5.0mm




3.0mm Post

300-501	4.0mm	1.0mm
300-502	4.0mm	2.0mm
300-503	4.0mm	3.0mm
300-504	4.0mm	4.0mm
300-505	4.0mm	5.0mm

\*Each Locator® abutment is packaged with a male processing kit. Locator® Abutments are not available with a 2.5mm Post.

ΔThe use of a sulcus reamer may be necessary prior to the seating of a Locator Abutment.

## LOCATOR® ABUTMENT COMPONENTS



2.3 kg (5.0 lb.)  
Retention Male



1.4 kg (3.0 lb.)  
Retention Male



0.7 kg (1.5 lb.)  
Retention Male



Processing  
Male



Metal  
Housing Cap



Blockout  
Spacer

PART NO.	DESCRIPTION
100-519	Male Processing Kit (2)



1.4 kg (3.0 lb.)  
Retention Cap



0.9 kg (2.0 lb.)  
Retention Cap



0.5 kg (1.0 lb.)  
Retention Cap

100-521	Extended Range Green Cap (4)
100-525	Extended Range Orange Cap (4)
100-526	Extended Range Red Cap (4)



Impression  
Cap



Impression  
Analog

100-524	Impression Kit
---------	----------------



101-839	Locator Core Tool
---------	-------------------

## FIXED-DETACHABLE ABUTMENTS\*



2.0mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
100-003	4.0mm	3.0mm	0°
100-015	4.0mm	3.0mm	15°
100-004	4.0mm	5.0mm	0°
100-115	4.0mm	5.0mm	15°



2.5mm Post

250-213	4.0mm	3.0mm	0°
250-215	4.0mm	3.0mm	15°
250-214	4.0mm	5.0mm	0°
250-255	4.0mm	5.0mm	15°



3.0mm Post

300-003	4.0mm	3.0mm	0°
300-015	4.0mm	3.0mm	15°
300-004	4.0mm	5.0mm	0°
300-115	4.0mm	5.0mm	15°

## FIXED-DETACHABLE COMPONENTS\*



Plastic Transfer and  
Castable Copings



Titanium Transfer  
Copings



Titanium Abutment  
Analog

PART NO.	DESCRIPTION
100-005	Plastic Coping (4)
100-019	Titanium Coping (4)
100-006	Titanium Analog (4)



5.0mm Hex  
Coping Screws



10.0mm Hex  
Coping Screws



Hex Retention  
Screws



Hex Cover  
Screws

100-016	5.0mm Hex Coping Screws (4)
100-017	10.0mm Hex Coping Screws (4)
100-020	Hex Retention Screws (4)
100-021	Hex Cover Screws (4)



101-024	Hex Screwdriver
---------	-----------------

\*For screw retained and cast bar restorations.

## LABORATORY ABUTMENTS\*



2.0mm Post

PART NO.	DIAMETER	HEIGHT	ANGLE
740-610	4.0mm	4.0mm	0°
740-615	4.0mm	4.0mm	15°



2.5mm Post

550-600	5.0mm	3.0mm	0°
550-605	5.0mm	3.0mm	15°
550-610	5.0mm	4.0mm	0°
550-615	5.0mm	4.0mm	15°
550-620	5.0mm	5.0mm	0°
550-625	5.0mm	5.0mm	15°
565-600	6.5mm	3.0mm	0°
565-605	6.5mm	3.0mm	15°
565-610	6.5mm	4.0mm	0°
565-615	6.5mm	4.0mm	15°



3.0mm Post

650-600	5.0mm	3.0mm	0°
650-605	5.0mm	3.0mm	15°
650-610	5.0mm	4.0mm	0°
650-615	5.0mm	4.0mm	15°
650-620	5.0mm	5.0mm	0°
650-625	5.0mm	5.0mm	15°
665-600	6.5mm	3.0mm	0°
665-605	6.5mm	3.0mm	15°
665-610	6.5mm	4.0mm	0°
665-615	6.5mm	4.0mm	15°

\*Designed for the laboratory to customize abutment for IAC or PFM restorations.

## ORTHODONTIC IMPLANT



8.0mm



Orthodontic Driver

PART NO.	DESCRIPTION
325-208	8.0mm Implant
101-907	Implant Driver

## STEALTH TRANSITIONAL IMPLANTS\*




PART NO.	DIAMETER	HEIGHT
425-108	2.5mm*	8.0mm
425-112	2.5mm*	12.0mm

101-905 Stealth Latch Driver

\*Packaged with two 4.0mm stealth sleeves.

## BREVIS™ TRANSITIONAL IMPLANTS\*



425-208	2.5mm	8.0mm
425-212	2.5mm	12.0mm

101-902 Brevis Latch Driver

\*Brevis housing sold separately.

## DRILL UNIT AND HANDPIECES



PART NO.	DESCRIPTION
028-150	Electric Drill System
028-425	Motor with Cord



20:1 High Torque Handpiece



18:1 Handpiece



400:1 Handpiece

028-201	20:1 High Torque Handpiece
028-181	18:1 Handpiece
028-401	400:1 Handpiece

## DRILL UNIT AND HANDPIECES



PART NO.	DESCRIPTION
024-120	20k RPM Air Motor
028-405	Contra-Angle Handpiece Head
028-500	Pana Spray*

\*Available in USA only via ground shipping.

## SURGICAL AND RESTORATIVE KITS



Introductory Surgical Kit



Comprehensive Surgical Kit




Advanced Surgical Kit



Restorative Kit

PART NO.	DESCRIPTION
101-057	Introductory
101-098	Comprehensive
101-095	Advanced
101-096	Restorative

## INSTRUMENTATION TRAYS



PART NO.	DESCRIPTION
104-993	Advanced
104-994	Comprehensive
104-996	Restorative

## PILOT DRILLS (Stainless Steel)



101-001	2.0mm Standard
101-002	2.0mm Extended

## STANDARD LATCH REAMERS (Ti6Al4V)



101-125	2.5mm
101-130	3.0mm
101-135	3.5mm
101-140	4.0mm
101-645	4.5mm
101-650	5.0mm
101-655	5.5mm
101-660	6.0mm
101-120	Standard Latch Reamer Set

## EXTENDED LATCH REAMERS (Ti6Al4V)



101-325	2.5mm
101-330	3.0mm
101-335	3.5mm
101-340	4.0mm
101-345	4.5mm
101-350	5.0mm
101-355	5.5mm
101-360	6.0mm
101-121	Extended Latch Reamer Set

## HAND REAMERS (Ti6Al4V)




PART NO.	DESCRIPTION
101-025	2.5mm
101-030	3.0mm
101-035	3.5mm
101-040	4.0mm
101-045	4.5mm
101-050	5.0mm
101-055	5.5mm
101-060	6.0mm
101-122	Hand Reamer Set <i>Includes straight handle and hand reamer extension.</i>

## REAMER REMOVAL WRENCH




101-017	Removal Wrench
---------	----------------

## EXTENDERS



101-020	Hand Reamer
101-022	Latch Reamer

## PARALLELING PINS




701-001	0°
701-053	15°
701-054	25°

## GAUGES



101-370	Double Ended Osteotomy Depth Gauge
101-380	Abutment Shoulder Depth Gauge

## THREADED COMPONENTS



PART NO.	DESCRIPTION
101-009	Offset Handle
101-014	Knob
101-016	Straight Handle

## SEATING TIPS



101-010	2.0mm
101-258	2.5mm
101-018	3.0mm



101-012	Standard
101-019	Large

## INSERTER AND RETRIEVER



101-005	2.0mm
101-007	2.5mm
101-006	3.0mm

## SULCUS REAMERS\*



101-435	3.5mm
101-440	4.0mm
101-450	5.0mm
101-465	6.5mm
101-475	7.5mm

\*Packaged with Guide Pins

## TISSUE PUNCHES\*



PART NO.	DESCRIPTION
101-535	3.5mm
101-540	4.0mm
101-550	5.0mm
101-565	6.5mm

\*Packaged with Guide Pins

## BONE EXPANDERS



901-430	3.0mm
901-435	3.5mm
901-440	4.0mm
901-445	4.5mm
901-450	5.0mm
901-455	5.5mm
901-460	6.0mm
101-123	Bone Expander Set

## OSTEOTOMES




901-535	3.5mm
901-540	4.0mm
901-545	4.5mm
901-550	5.0mm
901-560	6.0mm
101-124	Osteotome Set

## EXPANDING CHISELS




901-613	3.0mm
901-615	5.0mm
901-616	6.0mm



801-330	3.0mm
801-345	4.5mm
801-355	5.5mm

## GUIDE PINS




PART NO.	DESCRIPTION
101-180	2.0mm (4)
101-186	2.5mm (4)
101-183	3.0mm (4)

## TREPHINES




801-837	3.75mm (4.6mm OD)
801-840	4.25mm (5.2mm OD)
801-850	5.25mm (6.2mm OD)
801-860	6.0mm (6.95mm OD)
801-870	7.0mm (7.95mm OD)
801-880	8.0mm (8.95mm OD)
801-810	10.0mm (11.0mm OD)


## BONE GRAFTING INSTRUMENTATION



801-510	4.0mm Bone Graft Syringe
801-511	5.0mm Bone Graft Syringe



Severe Bend Sinus Lift Curette



Standard Bend Sinus Lift Curette



Antralplasty Elevator

801-515	Severe Bend
801-517	Standard Bend
801-518	Antralplasty Elevator




201-029	Sinus Lift Bur
---------	----------------

## PERIOTOMES



Double-Ended Straight Periosteal Elevator




Double-Ended Offset Periosteal Elevator

PART NO.	DESCRIPTION
801-007	Double-Ended Straight
801-008	Double-Ended Offset




801-009	Periosteal Set
---------	----------------

## CURETTES




Straight Curette



Angled Curette

801-520	Straight
801-522	Angled

## RADIOGRAPH GRID



103-002	30 x 42mm
---------	-----------

## MALLET



801-165	Mallet
---------	--------

## SILICONE DAPPEN DISH




103-030	Silicone Dappen Dish
---------	----------------------

## IMPLANT SPACING TEMPLATE



PART NO.	DESCRIPTION
101-305	Implant Spacing Template

## COTTON TIP APPLICATORS




103-027	2.0mm (100)
103-028	3.0mm (100)

## HYDROPLASTIC RESIN



103-031	Hydroplastic Resin (20g)
---------	--------------------------

## CROWN ALIGNMENT DEVICE




101-315	Crown Alignment Device
101-015	Crown Seating Tip

## HEALING PLUG INSTRUMENTS



801-001	Healing Plug Cutter
101-114	Removal Instrument (Manual)
101-115	Removal Instrument (Latch)

## ABUTMENT PREPARATION



PART NO.	DESCRIPTION
101-395	Preparation Holder with tips
701-382	2.0mm Tip
701-385	2.5mm Tip

## BURS



PART NO.	DESCRIPTION
155-7RL	#1557 Bur (5)
201-011	11.0mm Cutting Bur
2RL-GW4	#4 Round Bur (5)

## ABUTMENT FORCEPS



801-002	Carrying Forceps
801-050	Removal Forceps (Upper)
801-051	Removal Forceps (Lower)

## SHADE ENHANCER




103-006	Bicon Shade Enhancer
---------	----------------------

## DENTURE DUPLICATOR



PART NO.	DESCRIPTION
103-98F	Denture Duplicator
103-99K	Denture Duplicator Kit <i>Consists of denture duplicator, silicone spray and Ortho-Jet™. Available only in the USA via ground shipping.</i>

## BONE SCREW TACK



201-310	3.0mm Bone Screw Tack (10)
801-305	Bone Screw Tack Cassette
201-700	Tack Seating Instrument

## DEMONSTRATION MODELS



102-104	Foam Practice Model
102-115	Crown Model
102-120	Overdenture Model

## IAC POLISHING KIT




103-033	IAC Polishing Kit
---------	-------------------

## IAC LIGHT CURING BOOTH



499-110	IAC Light Curing Booth (110 volt)
499-220	IAC Light Curing Booth (multi voltage)

## LARGE IMPLANT AND ABUTMENT REPLICAS



**10x**  
**PLASTIC**

Abutment Replica

Implant Replica

PART NO.	DESCRIPTION	DIAMETER	LENGTH	WELL	POST
102-508	Implant Replica	5.0mm	6.0mm	3.0mm	
102-501	Abutment Replica	5.0mm	6.5mm		3.0mm




**4x**  
**ALUMINUM**

Implant Replica

Non-Shouldered Abutment Replica

Stealth Shouldered Abutment Replica

PART NO.	DESCRIPTION	DIAMETER	LENGTH	WELL	POST
102-306	Implant Replica	5.0mm	6.0mm	3.0mm	
102-308	Implant Replica	5.0mm	8.0mm	3.0mm	
102-311	Implant Replica	5.0mm	11.0mm	3.0mm	
102-301	Non-Shouldered Abutment Replica	5.0mm	6.5mm		3.0mm
102-302	Stealth Shouldered Abutment Replica	5.0mm	2.0mm		3.0mm



**3x**  
**TITANIUM**

Implant Replica

Non-Shouldered Abutment Replica

Stealth Shouldered Abutment Replica

Brevis™ Abutment Replica

PART NO.	DESCRIPTION	DIAMETER	LENGTH	WELL	POST
035-011	Implant Replica	3.5mm	11.0mm	2.0mm	
040-011	Implant Replica	4.0mm	11.0mm	2.0mm	
045-306	Implant Replica	4.5mm	6.0mm	3.0mm	
045-308	Implant Replica	4.5mm	8.0mm	3.0mm	
050-306	Implant Replica	5.0mm	6.0mm	3.0mm	
050-308	Implant Replica	5.0mm	8.0mm	3.0mm	
060-357	Implant Replica	6.0mm	5.7mm	3.0mm	
040-001	Non-Shouldered Abutment Replica	4.0mm	6.5mm		3.0mm
040-002	Non-Shouldered Abutment Replica	4.0mm	6.5mm		2.0mm
050-001	Non-Shouldered Abutment Replica	5.0mm	6.5mm		3.0mm
050-002	Non-Shouldered Abutment Replica	5.0mm	6.5mm		2.0mm
000-201	Stealth Abutment Replica	5.0mm	2.0mm		2.0mm
000-221	Stealth Abutment Replica	5.0mm	4.0mm		2.0mm
000-301	Stealth Abutment Replica	5.0mm	2.0mm		3.0mm
000-321	Stealth Abutment Replica	5.0mm	4.0mm		3.0mm
000-404	Brevis™ Abutment Replica		2.0mm		2.0mm
000-434	Brevis™ Abutment Replica		2.0mm		3.0mm

**bicon**<sup>®</sup>  
D E N T A L I M P L A N T S

 **SHORT**<sup>™</sup>  
I M P L A N T S

**MAX 2.5**<sup>™</sup>  
M A X I L L A R Y A N T E R I O R I M P L A N T S

 **NARROW**<sup>™</sup>  
I M P L A N T S

**SynthoGraft**<sup>™</sup>  
P u r e P h a s e B e t a - T r i c a l c i u m P h o s p h a t e



**bicon**<sup>®</sup>  
DENTAL IMPLANTS

**WORLD HEADQUARTERS**

501 Arborway  
Boston, MA 02130 USA

TEL 800.88.BICON ■ 617.524.4443

FAX 800.28.BICON ■ 617.524.0096

[www.bicon.com](http://www.bicon.com) ■ [support@bicon.com](mailto:support@bicon.com)